Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(recording/reproducing and metod).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:04
S2	567	(713/193).CCLS.	USPAT	OR	OFF	2005/11/30 12:18
S3	30	S2 and (user adj (id identification identifier)) same (encrypt encryption encrypted) same (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:19
S5	744	(713/182).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/30 12:18
S6	634	(713/193).CCLS.	US-PGPUB	OR	OFF	2005/11/30 12:18
S7	26	S6 and (user adj (id identification identifier)) same (encrypt encryption encrypted) same (key)	US-PGPUB	OR	ON	2005/11/30 12:29
S8	61	S5 and (user adj (id identification identifier)) same (encrypt encryption encrypted) same (key)	US-PGPUB; USPAT	OR	ON	2005/11/30 16:41

S10	97	("5303393" "5877742" "5664110" "4268715" "4283599" "4315101" "5732338" "5819294" "5842124" "5940773" "6023498" "6085099" "6178056" "4281215" "4374381" "4799153" "4868824" "5321750" "5393713" "5490251" "5625721" "5703972" "5732133" "5737364" "5740358" "5893080" "5909464" "5969633" "6014648" "6064988" "6067206" "6169890" "4536013" "4580012" "4629871" "4755940" "4764666" "4815741" "4829569" "4882473" "4890319" "4890321" "4931870" "5206743" "5229764" "5247575" "5274783" "5315642" "5365434" "5381457").pn. ("5455760" "5475377" "5488653" "5504936" "5563878" "5565857" "5583933" "5600795" "5675628" "5721583" "5727141" "5729460" "5734651" "5745555" "5771170" "5771381" "5818930" "5821871" "5825871" "5835770" "5892536" "598692" "5995595" "6049596" "6081893" "6092111" "6094681" "6122580" "6137484" "6161012" "6173284" "6185536" "6193152" "6208719" "6223168" "6223168" "6237138" "6240167").	USPAT	OR	ON	2005/11/30 13:30
S11	3696	on. (user adj (id identifier identification name) username pin) with (encrypt encryption encrypted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:28
S12	406	(user adj (id identifier identification name) username pin) with (encrypt encryption encrypted).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:34
S13	592	(encrypt encrypting encrypted) adj (user adj (id identifier identification name) username pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 19:21

S14	135	(encrypt encrypting encrypted) adj	US-PGPUB;	OR	ON	2005/11/30 13:39
31.	233	(user adj (id identifier identification name) username pin) same (coincident verify verification judg\$4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2003, 11, 30 13.33
S15	139	(encrypt encrypting encrypted) adj (user adj (id identifier identification name) username pin) same (coincident verify verification verifying judg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:43
S16	29	(encrypt encrypting encrypted) adj (user adj (id identifier identification name) username pin) same (coincident verify verification verifying judg\$4) same (encryption adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:24
S17	3	(yoshito and tomoyuki and izuru and atsushi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:26
S18	545	((user adj (id identifier identification name) username pin) with (encrypt encryption encrypted)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:27
S19	68	((encrypt encrypting encrypted) adj (user adj (id identifier identification name) username pin)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:28
S20	344	(user adj (id identifier identification name) username pin) with (encrypt encryption encrypted) and playback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:28
S21	341	(user adj (id identifier identification name) username pin) with (encrypt encryption encrypted) and playback	US-PGPUB; USPAT	OR	ON	2005/11/30 15:28

S22	51	("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "5745568" "5754649" "5757907" "5778421" "5790677" "5778421" "5889860" "5892900" "5900564" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6138119" "6157721" "6185683" "6189098" "6236971"	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 15:37
		"6237786" "6240185" "6253193").PN.				
S23	53	("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5509074" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "575568" "5778421" "5790677" "5778421" "5809144" "5892900" "5809164" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6112239" "6138119" "6157721" "6185683" "6189098" "6236971" "6237786" "6240185" "6253193").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 16:39
S24	1	("6283877").PN.	USPAT	OR	OFF	2005/11/30 16:41

		I		Γ	Γ	
S25	286	(713/185).CCLS.	USPAT	OR	OFF	2005/11/30 16:41
S26	485	(713/185).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/30 16:41
S27	36	S26 and (user adj (id identification identifier)) same (encrypt encryption encrypted) same (key)	US-PGPUB; USPAT	OR	ON	2005/11/30 16:42
S28	63	(encrypt encrypting encrypted) adj (user adj (id identifier identification name) username pin) same ((transmitting transmit send sending) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:36
S29	69	(ic adj card smart adj card smartcard) same (user adj (identifier id)) same (encrypt encryption encrypting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:15
S30	19	(ic adj card smart adj card smartcard) same (user adj (identifier id)) same (encrypt encryption encrypting) same public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:23
S31	112	(ic adj card smart adj card smartcard) same ((identifier id)) same (encrypt encryption encrypting) same public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:51
S32	93	(ic adj card smart adj card smartcard) same ((identifier id)) same (encrypt encryption encrypting) same public adj key not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:27
S33	24	(ic adj card smart adj card smartcard) same ((identifier id)) near10 (encrypt encryption encrypting) same public adj key not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:28
S34	1	(ic adj card smart adj card smartcard) same (encrypt encryption encrypting) near10 (id identifier) same (transmits transmit transmitting send sending) near10 public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:29

S35	6	(ic adj card smart adj card smartcard) and (encrypt encryption encrypting) near10 (id identifier) same (transmits transmit transmitting send sending) near10 public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:36
S36	5	(ic adj card smart adj card smartcard) and (encrypt encryption encrypting) near10 (pin) same (transmits transmit transmitting send sending) near10 public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:40
S37	4	(terminal device card) same (encrypt encryption encrypting) near10 (pin) same (transmits transmit transmitting send sending) near10 public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:40
S38	18	(terminal device card) same (encrypt encryption encrypting) near10 (id identifier) same (transmits transmit transmitting send sending) near10 public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:40
S39	12	("5701343").URPN.	USPAT	OR	ON	2005/12/01 11:53
S40	16	("4405829" "4408119" "5218637" "5224166" "5228084" "5345506" "5377267" "5396558" "5455953" "5475756" "5475758" "5483596" "5502765" "5515439" "5534857" "5602918").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 12:50
S41	160	(ic adj card smart adj card smartcard card).ab. and ((identifier id)) same (encrypt encryption encrypting) same public adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:20
S42	776	(smart adj card ic adj card smartcard) same recorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:24
S43	49	(smart adj card ic adj card smartcard) same recorder same (id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:27

ſ			T			
S44	4537	(smart adj card ic adj card smartcard) with (id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:27
S45	131	(smart adj card ic adj card smartcard) with (id identifier) with (encrypt encryption encrypting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:32
S46	0	(exchanging transmitting) adj encryption adj key same user adj (id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:34
S47	206	(exchanging transmitting) adj encryption adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:34
S48	12	(exchanging transmitting) adj encryption adj key same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:39
S49	30	(exchanging transmitting) adj encryption adj key and player	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:28
S50	25	(exchanging transmitting) adj encryption adj key and music	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:40
S51	1	("6272283").URPN.	USPAT	OR	ON	2005/12/01 14:27
S52	2069	encryption adj key and player	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:28

S53	281	encryption adj key with id and player	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:48
S54	2114	set adj top adj box and (smart adj card ic adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:48
S55	179	(set adj top adj box and (smart adj card ic adj card)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S56	35	((id identifier identification) and (set adj top adj box) and (smart adj card ic adj card)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:52
S57	25	(set adj top adj box and (smart adj card ic adj card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:04
S58	22	(recorder and (smart adj card ic adj card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:04
S59	32	(player and (smart adj card ic adj card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:05
S60	0	(player and id and (smart adj card ic adj card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:05
S61	8	(player and id and (smart adj card ic adj card card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:05
S62	4	(music and id and (smart adj card ic adj card card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:06
S63	19	((music video) and id and (smart adj card ic adj card card)).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:07
S64	1345	(music audio video) and (playback play adj back) and (encryption adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:14
S65	204	(music audio video) and (playback play adj back) same (user adj (identification identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/12/01 17:24

S66	1329	masaaki.in. and sony.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:26
S67	0	masaaki-tsuruta.in. and sony.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:25
S68	17	masaaki.in. and sony.asn. and recorder.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:25
S69	171	masaaki.in. and sony.asn.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:28
S70	0	masaaki.in. and sony.asn. and recorder.ti.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:27
S71	0	masaaki.in. and sony.asn. and "713"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/01 17:28
S72	25	masaaki.in. and sony.asn. and 7??/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/01 18:25
S73	43	(recording and user adj identification).ab.	US-PGPUB; USPAT	OR	ON	2005/12/01 19:32
S74	64850	detect\$4 with connect\$3 with (card terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 19:33
S75	742	detect\$4 with connect\$3 with (card terminal) with id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 19:34
S76	17	detect\$4 with connect\$3 with (card terminal) with user adj id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:21

S77	1503	(user adj identification) same set near10 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:23
S78	946	(user adj identification) with set near10 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:23
S79	0	(user adj identification) with set adj by adj user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:24
S80	0	(user adj identification) with set adj by adj the adj user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:24
S81	0	(user adj identification) and "set by the user"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:24
S82	0	"set by the user"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/12/01 20:25
S83	0	set adj by adj the adj user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:27
S84	179	factory same id same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:27

S85	36	factory with id with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:35
S86	32	set near10 id near10 shipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:03
S87	59	set with id with shipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:46
S88	27	set with id with shipment not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 20:46
S89	22	set near10 identification near10 shipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:01
S90	20	set near10 identifier near10 shipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:01
S91	432	id near10 shipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:03
S92	. 22	id near10 shipment same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:05

			·			
S93	2182	user adj name same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:06
S94	78	set with user adj name same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:15
S95	13	update with user adj name same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:16
S96	1399	user adj name with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:16
S97	104	user adj name with smart adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:25
S98	154	set adj user adj name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:32
S99	1178	user adj name with selected with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:32
S10 0	950	user adj name near10 selected	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:33

		r	T	ı———	-	
S10 1	43	user adj name near10 selected same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:37
S10 2	167	set with (username user adj name) with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:42
S10 3	3	input with (username user adj name) with ic adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:42
S10 4	12	input with (username user adj name) with smart adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:44
S10 5	8	US-6412106-\$.DID. OR US-6311320-\$.DID. OR US-6094684-\$.DID. OR US-5678044-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:54
S10 6	1	user adj updates adj id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:54
\$10 7	0	user adj updates adj username	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:54
S10 8	1	user adj sets adj username	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:55

S10 9	7	user adj sets adj user adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:56
S11 0	0	user adj updatres adj user adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:56
S11 1	14	user adj updates adj user adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 21:56
S11 2	1110	user adj identification with set with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:57
S11 3	342	user adj identification with set with user	USPAT	OR	ON	2005/12/02 11:57
S11 4	94	(user adj identification with set with user).clm.	USPAT	OR	ON	2005/12/02 11:58
S11 5	72	(user adj identification near10 set).clm.	USPAT	OR	ON	2005/12/02 12:00
S11 6	34	((username (user adj name)) near10 set).clm.	USPAT	OR	ON	2005/12/02 12:39
S11 7	7	shipment same (device card) adj (id identifier identification)	USPAT	OR	ON	2005/12/02 12:41
S11 8	737	terminal adj id	USPAT	OR	ON	2005/12/02 12:42
S11 9	42	set near5 terminal adj id	USPAT	OR	ON	2005/12/02 12:42
S12 0	55	store near5 terminal adj id	USPAT	OR	ON	2005/12/02 12:53
S12 1	21	assign near5 terminal adj id	USPAT	OR	ON	2005/12/02 12:56
S12 2	42	set near5 terminal adj id	USPAT	OR	ON	2005/12/02 13:16
S12 3	25	user adj id same rewritten	USPAT	OR	ON	2005/12/02 13:17
S12 4	0	user adj id with judged with rewritten	USPAT	OR	ON	2005/12/02 13:17

S12 5	0	user adj id same judged with rewritten	USPAT	OR	ON	2005/12/02 14:07
S12 6	181	judg\$4 with rewritten	USPAT	OR	ON	2005/12/02 14:07
S12 7	15	(judg\$4 with rewritten).clm.	USPAT	OR	ON	2005/12/02 14:07
S12 8	1	("6389536").PN.	USPAT	OR	OFF	2005/12/05 10:58
S12 9	1	("5596639").PN.	USPAT	OR	OFF	2005/12/05 11:36
S13 0	0	"000930616"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:37
S13 1	0	masaaki-tsuruta.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:37
S13 2	99372	masaaki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:37
S13 3	52	tsuruta-masaaki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:39
S13 4	0	imamura-kiyomi.in. and yamakama-teruji.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:40
S13 5	24	imamura-kiyomi.in. and yamakawa-teruji.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:52

S13 6	10	imamura-kiyomi.in. and (data and storage and device).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:58
S13 7	13	mott-timothy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:58
S13 8	13	mott-timothy.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 13:44
S13	1	("6544975").PN.	USPAT	OR	OFF	2005/12/05 13:45
S14 0	8	08/490,537	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 13:47
S14 1	2	(interactive adj audio adj transmission adj receiving).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:15
S14 2	1	("6453369").PN.	USPAT	OR	OFF	2005/12/05 14:33
S14 3	1	("20020184537").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/05 15:08
S14 4	1	("20020157012").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/05 15:50
S14 5	1	("20010016836").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/05 15:50
S14 6	0	"000954173"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:56
S14 7	0	("EP954173").PN.	USPAT	OR	OFF	2005/12/06 16:55

S14 8	10	"954173"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:57
S14 9	1	("6681015").PN.	USPAT	OR	OFF	2005/12/06 16:57